

SAFETY DATA SHEET [In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]	Date of issue: 26.02.2025 Date of update: 02.03.2026
	Blocker UV Njord impregnation

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Blocker UV Njord impregnation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: impregnation.

Uses advised against: not determined.

1.3 Details of the supplier of the safety data sheet

Supplier: **Unicell International Sp. z o.o.**

Address: ul. Suprańska 25, 16-010 Wasilków, Poland

Telephone/Fax number: +48 85 733 66 41/ +48 85 718 68 62

E-mail address for a competent person responsible for SDS: unicell@unicell.com.pl

1.4 Emergency telephone number

112

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Aquatic Chronic 3 H412

Harmful to aquatic life with long lasting effects.

2.2 Label elements

Hazard pictograms and signal words

None.

Product identifier

None.

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P501 Dispose of contents/container to properly labelled waste containers according to national law.

Additional information

EUH208 Contains 3-iodo-2-propynyl butylcarbamate; 1,2-benzisothiazolin-3-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

The mixture was treated with biocidal products: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1); 3-iodo-2-propynyl butylcarbamate; 1,2-benzisothiazolin-3-one.

2.3 Other hazards

The components of this mixture do not meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH.

SAFETY DATA SHEET [In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]	Date of issue: 26.02.2025 Date of update: 02.03.2026
	Blocker UV Njord impregnation

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

Section 3: Composition/information on ingredients

3.1 Substances

Not applicable.

3.2 Mixtures

CAS number: 127519-17-9 EC number: 407-000-3 Index number: 607-281-00-4 Registration number: 01-0000015648-61-XXXX	reaction mass of branched and linear C7-C9 alkyl 3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl] propionates Aquatic Chronic 2 H411	< 1,1 %
CAS number: 1445870-18-7 EC number: 941-267-1 Index number: - Registration number: 01-2120084832-51-XXXX	hexanoic acid, 3,5,5-trimethyl-, 2,2,6,6-tetramethyl-1-[2-[(3,5,5-trimethyl-1-oxohexyl)oxy]ethyl]-4-piperidinyl ester Skin Irrit. 2 H315	< 1,1 %
CAS number: 55406-53-6 EC number: 259-627-5 Index number: 616-212-00-7 Registration number: —	3-iodo-2-propynyl butylcarbamate Acute Tox. 4 H302, Skin Sens. 1 H317, Eye Dam. 1 H318, Acute Tox. 2 H330, STOT RE 1 H372 (larynx, inhalation), Aquatic Acute 1 H400 (M=10), Aquatic Chronic 1 H410 (M=10) <u>Acute toxicity estimate</u> ATE (inhalation, dust/mist)= 0,17 mg/l	< 0,15 %
CAS number: 2634-33-5 EC number: 220-120-9 Index number: 613-088-00-6 Registration number: —	1,2-benzisothiazolin-3-one Acute Tox. 4 H302, Skin Irrit. 2 H315, Eye Dam. 1 H318, Skin Sens. 1A H317, Acute Tox. 2 H330, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 1 H410 (M=1) <u>Specific concentration limits:</u> Skin Sens. 1A H317: C ≥ 0,036 % <u>Acute toxicity estimate</u> ATE (oral) = 450 mg/kg bw ATE (inhalation, dust/mist)= 0,21 mg/l	< 0,02 %
CAS number: 3811-73-2 EC number: 223-296-5 Index number: 613-344-00-7 Registration number: —	pyridine-2-thiol 1-oxid Acute Tox. 4 H302, Acute Tox. 3 H311, Skin Irrit. 2 H315, Skin Sens. 1 H317, Eye Irrit. 2 H319, Acute Tox. 3 H331, STOT RE 1 H372 (nervous system), Aquatic Acute 1 H400 (M=100), Aquatic Chronic 2 H411, EUH070* <u>Acute toxicity estimate</u> ATE (inhalation, dust/mist) =0,5 mg/l ATE (skin) =790 mg/kg bw ATE (oral) =500 mg/kg bw	< 0,003 %
CAS number: 55965-84-9 EC number: — Index number: 613-167-00-5 Registration number: —	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Acute Tox. 3 H301, Acute Tox. 2 H310, Skin Corr. 1C H314, Skin Sens. 1A H317, Eye Dam. 1 H318, Acute Tox. 2 H330, Aquatic Acute 1 H400 (M=100), Aquatic Chronic 1 H410 (M=100), EUH071 * <u>Specific concentration limits:</u> Skin Corr. 1C H314: C ≥ 0,6 % Eye Dam. 1 H318: C ≥ 0,6 % Eye Irrit. 2 H319: 0,06 % ≤ C < 0,6 % Skin Irrit. 2 H315: 0,06 % ≤ C < 0,6 % Skin Sens. 1A H317: C ≥ 0,0015 %	< 0,0015 %

SAFETY DATA SHEET [In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]	Date of issue: 26.02.2025 Date of update: 02.03.2026
	Blocker UV Njord impregnation

*Additional hazard statement.

Full text of each relevant H phrase is given in section 16 of SDS.

Section 4: First aid measures

4.1 Description of first aid measures

Skin contact: take off contaminated clothing. Wash the contaminated skin thoroughly with water and soap. Consult a doctor if disturbing symptoms appear.

Eye contact: protect non-irritated eye, remove contact lenses. Wash the contaminated eye with plenty of water for at least 10-15 minutes. Avoid powerful water stream – risk of cornea damage. Consult a doctor if disturbing symptoms appear.

Ingestion: do not induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person. Consult a doctor, show packaging or label.

Inhalation: consult a doctor if disturbing symptoms appear. Remove the victim to fresh air, keep warm and calm.

4.2 Most important symptoms and effects, both acute and delayed

Eye contact: may cause redness, tearing.

Skin contact: possible redness, dryness, allergic reactions.

Ingestion: gastrointestinal problems and irritation of mucous membranes may occur.

Inhalation: may cause irritation of the respiratory tract.

4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Treat symptomatically.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: foam, CO₂, water spray. Adapt the extinguishing media to surrounding materials.

Unsuitable extinguishing media: water jet – risk of the propagation of the flame.

5.2 Special hazards arising from the substance or mixture

During the fire, the product may produce harmful fumes and gases consisting of carbon oxides and other unidentified products of thermal decomposition. Do not inhale combustion products, they can be dangerous for human health.

5.3 Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Do not allow extinguishing water to enter drains, surface or ground water. In case of fire, cool endangered containers from a safe distance with water spray. Collect used extinguishing agents.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. In case of large spills, isolate the exposed area. Wear personal protective equipment. Avoid eyes and skin contamination. Do not inhale product vapours. Ensure adequate ventilation. Immediately wipe off spilled material – risk of slipping. Ensure that only the trained personnel removes the effects of the accident.

SAFETY DATA SHEET [In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]	Date of issue: 26.02.2025 Date of update: 02.03.2026
	Blocker UV Njord impregnation

6.2 Environmental precautions

If larger quantities are released, take steps to prevent spreading into the environment. Notify relevant emergency services.

6.3 Methods and material for containment and cleaning up

Leakage collect with liquid absorbing materials (e.g. sand, earth, universal binders, silica etc.) and place it in labeled containers. Treat the collected material as waste. Clean the contaminated place and ventilate it.

6.4 Reference to other sections

Appropriate conduct with waste product – section 13. Personal protective equipment – see section 8.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Avoid contamination of eyes and skin. Do not inhale product vapours. Wash hands before breaks and after working. Keep containers tightly closed. Use personal protective equipment.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in tightly closed containers, in dry and well-ventilated area. Store away from sources of heat and fire. Do not store together with foodstuffs or animal feed. Protect from heat, direct sunlight and froze. Do not store with incompatible materials (see subsection 10.5).

7.3 Specific end use(s)

No information about uses other than mentioned in subsection 1.2.

Section 8: Exposure controls/personal protection

8.1 Control parameters

Product does not contain components with occupational exposure limit values established on the European Union level.

Legal Basis: 91/322/EEC as amended, 98/24/EC as amended, 2000/39/EC as amended, 2004/37/EC as amended.

Please check any national occupational exposure limit values in your country.

8.2 Exposure controls

Appropriate engineering controls

Use the product in accordance with good occupational hygiene and safety practices. Do not eat, drink or smoke when using the product. Avoid contamination of eyes and skin. Ensure general and/or local ventilation in a workplace. Immediately take off contaminated clothing.

Individual protection measures, such as personal protective equipment

The necessity to use and selection of appropriate personal protective equipment should take into account the type of hazard posed by the product, workplace conditions and the manner of handling the product. Applied personal protective equipment must comply with the requirements of the Regulation 2016/425/EU. The employer is obliged to provide protective equipment relevant to performed activities and in accordance with all quality requirements, including its maintenance and cleaning. Any contaminated or damaged personal protective equipment must be replaced immediately.

Hand and body protection

Use protective gloves in accordance with EN 374. The material for gloves should be selected individually at the workplace.

SAFETY DATA SHEET [In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]	Date of issue: 26.02.2025 Date of update: 02.03.2026
	Blocker UV Njord impregnation

The material that the gloves are made of must be impenetrable and resistant to the product's effects. The selection of material must be performed with consideration of breakthrough time, penetration speed and degradation. Moreover, the selection of proper gloves depends not only on the material, but also on other quality features and changes depending on the manufacturer. The producer should provide detailed information regarding the exact breakthrough time. This information should be followed. It is recommended to regularly change the gloves and replace them immediately, if any signs of wear, damage or changes in appearance (color, elasticity, shape) occur.

Eyes protection

Wear tightly fitting protective glasses EN ISO 16321-1:2022-10, if there is a risk of eye contamination.

Respiratory protection

Respiratory protection is not required in case of proper ventilation.

Thermal hazards

Do not occur.

Environmental exposure controls

Do not allow large quantities of product to enter groundwater, sewers, drains or soil. Possible emissions from the ventilation systems and processing equipment should be controlled in order to determinate their compatibility with environmental protection regulations.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	liquid
Colour:	white to yellow
Odour	mild, specific
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	the product is classified in terms of flammability
Lower and upper explosion limit:	not determined
Flash point:	not determined
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH:	7-8
Kinematic viscosity:	not determined
Solubility:	soluble in water
Partition coefficient n-octanol/water (log value):	not determined
Vapour pressure:	not determined
Density and/or relative density:	ca. 1 g/cm ³
Relative vapour density:	not determined
Particle characteristics:	not applicable

9.2 Other information

No additional test results.

Section 10: Stability and reactivity

10.1 Reactivity

The product is feebly reactive. It does not undergo dangerous polymerization. See also subsections: 10.3-10.5.

10.2 Chemical stability

The product is stable under normal conditions of use and storage.

SAFETY DATA SHEET [In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]	Date of issue: 26.02.2025 Date of update: 02.03.2026
	Blocker UV Njord impregnation

10.3 Possibility of hazardous reactions

Not known.

10.4 Conditions to avoid

Avoid direct exposure to sunlight. Protect against froze.

10.5 Incompatible materials

Strong oxidisers, acids, basis.

10.6 Hazardous decomposition products

Not known.

Section 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on acute and delayed effects of exposure were determined on the basis of information on product classification and / or toxicological tests and the knowledge and experience of the manufacturer.

Acute toxicity

ATE_{mix} (oral) > 2000 mg/kg

ATE_{mix} (skin) > 2000 mg/kg

ATE_{mix} (inhalation, vapours) > 20 mg/l

The acute toxicity estimate (ATE_{mix}) for the classification of a substance in a mixture was determined using the appropriate conversion value from Table 3.1.2 in Annex I to CLP as amended.

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met. The product contains components that can cause an allergic skin reaction in susceptible people.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Routes of exposure: eye contact, skin contact, ingestion, inhalation. For more information – see subsection 4.2.

Symptoms related to the physical, chemical and toxicological characteristics

See subsection 4.2.

SAFETY DATA SHEET [In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]	Date of issue: 26.02.2025 Date of update: 02.03.2026
	Blocker UV Njord impregnation

Delayed and immediate effects as well as chronic effects from short and long-term exposure

See subsection 4.2.

11.2 Information on other hazards

Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

Other information

Not known.

Section 12: Ecological information

12.1 Toxicity

Components toxicity

1,2-benzisothiazolin-3-one [CAS 2634-33-5]

Acute toxicity to daphnia EC ₅₀	2,44 mg/l/48 h
Acute toxicity to fish LC ₅₀	0,74 mg/l/96 h/ <i>Daphnia magna</i>

3-iodo-2-propynyl butylcarbamate [CAS 55406-53-6]

Acute toxicity to algae EC ₅₀	0,022 mg/l 72 h / <i>Scenedesmus subspicatus</i>
Acute toxicity to daphnia EC ₅₀	0,05 mg/l/48 h / <i>Daphnia magna</i>
Acute toxicity to fish LC ₅₀	0,067 mg/l/96 h/ <i>Oncorhynchus mykiss</i>
Chronic toxicity to algae NOEC	0,0046 mg/l/72 h/ <i>Scenedesmus subspicatus</i>
Chronic toxicity to fish NOEC	0,0084 mg/l/35 d/ <i>Pimephales promelas</i>

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [CAS 55965-84-9]

Acute toxicity to algae EC ₅₀	0,048 mg/l 72 h / <i>Pseudokirchneriella subcapitata</i> [OECD 201]
Acute toxicity to daphnia EC ₅₀	0,1 mg/l/48 h [OECD 202]
Acute toxicity to algae EC ₅₀	0,0052 mg/l/48 h/ <i>Skeletonema costatum</i> [OECD 201]
Acute toxicity to fish LC ₅₀	0,22 mg/l/96 h/ <i>Oncorhynchus mykiss</i> [OECD 203]
Chronic toxicity to algae NOEC	0,00064 mg/l/48 h/ <i>Skeletonema costatum</i> [OECD 201]
Chronic toxicity to daphnia NOEC	0,004 mg/l/21 d [OECD 211]
Chronic toxicity to fish NOEC	0,098 mg/l/28 d/ <i>Oncorhynchus mykiss</i> [OECD 210]
Chronic toxicity to algae NOEC	0,0012 mg/l /72 h/ <i>Pseudokirchneriella subcapitata</i> [OECD 201]

Mixture toxicity

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Data for components:

3-iodo-2-propynyl butylcarbamate [CAS 55406-53-6]: biodegradation: 25 % exposure time: 28 d.

1,2-benzisothiazolin-3-one [CAS 2634-33-5]: undergoes biodegradation.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [CAS 55965-84-9]

According to OECD/EC guidelines, the substance is not readily biodegradable.

Biodegradation: < 50 % exposure time: 10 d

Fotodegradation:

Half-life in the atmosphere: 0,38 – 1,3 d

SAFETY DATA SHEET [In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]	Date of issue: 26.02.2025 Date of update: 02.03.2026
	Blocker UV Njord impregnation

12.3 Bioaccumulative potential

Data for components:

1,2-benzisothiazolin-3-one [CAS 2634-33-5]: log Pow = 0,7; BCF 6,62; the substance does not accumulate in living organisms.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [CAS 55965-84-9]

Bioaccumulation: bioconcentration potential is low (BCF < 100 or log Pow < 3).

2-methyl-2H-isothiazol-3-one (MIT); 5-chloro-2-methyl-4-isothiazolin-3-one (CMIT):

Partition coefficient: n-octanol/water(log Pow): -0.486

12.4 Mobility in soil

Product with low mobility in soil and aquatic environment.

12.5 Results of PBT and vPvB assessment

The substances contained in the product do not meet criteria for PBT or vPvB.

12.6. Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

12.7. Other adverse effects

The mixture is not classified as hazardous to the ozone layer and does not contribute to global warming.

Section 13: Disposal considerations

13.1 Waste treatment methods

Disposal methods for the product: disposal in accordance with the local legislation. Do not empty into waste. Store the residues in original containers. Waste code should be given in the place of waste formation.

Disposal methods for used packing: reuse/recycle/eliminate empty containers in accordance with the local legislation. Only completely empty container can be recycled.

EU legal acts: directives of the European Parliament and of the Council: 2008/98/EC as amended and 94/62/ C as amended.

Section 14: Transport information

14.1 UN number or ID number

Product is not classified as dangerous during transportation.

14. UN proper shipping name

Not applicable.

14.3 Transport hazard class(es)

Not applicable.

14.4 Packing group

Not applicable.

14.5 Environmental hazards

Not applicable.

SAFETY DATA SHEET [In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]	Date of issue: 26.02.2025 Date of update: 02.03.2026
	Blocker UV Njord impregnation

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive **2004/37/EC** Of The European Parliament and Of The Council of 29 April 2004 on the protection of workers from the risks related to exposure to carcinogens or mutagens at work (Sixth individual Directive within the meaning of Article 16(1) of Council Directive 89/391/EEC) as amended.

2000/39/EC Commission Directive of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work as amended.

Council Directive **98/24/EC** of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) as amended.

91/322/EEC Commission Directive of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work as amended.

ADR Agreement concerning the International Carriage of Dangerous Goods by Road.

IMDG Code International Maritime Dangerous Goods Code

IATA Dangerous Goods Regulations

1907/2006/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (as amended).

1272/2008/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (as amended).

2020/878/EU COMMISSION REGULATION of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. 2008/98/EC DIRECTIVE OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives (as amended).

European Parliament and Council Directive **94/62/EC** of 20 December 1994 on packaging and packaging waste as amended **2016/425/EU** REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for mixtures in accordance.

Section 16: Other information

Full text of indicated H phrases mentioned in section 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.

SAFETY DATA SHEET [In accordance with the criteria of Regulation No 1907/2006 (REACH) as amended]	Date of issue: 26.02.2025 Date of update: 02.03.2026
	Blocker UV Njord impregnation

H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH070	Toxic by eye contact.
EUH071	Corrosive to the respiratory tract.

Clarification of aberrations and acronyms

Acute Tox. 2,3,4	Acute toxicity, category 2,3,4
Aquatic Acute 1	Hazardous to the aquatic environment – acute, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – chronic, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – chronic, category 2
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Serious eye irritation, category 2
Skin Corr. 1C	Skin corrosion, category 1C
Skin Sens. 1, 1A	Skin sensitization, category 1, 1A
STOT RE 1	Specific target organ toxicity — repeated exposure, category 1
PBT	Persistent, Bioaccumulative and Toxic substance
vPvB	very Persistent, very Bioaccumulative substance
UN number	Material identification number (UN number)
TWA	Time Weighted Average
STEL	Short Term Exposure Limit

Trainings

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

Key literature references and sources of data

This SDS was prepared on the basis of safety data sheets of the individual components, literature data, online databases (e.g. ECHA, TOXNET, COSING), our knowledge and experience, taking into account the current legislation.

Methods of evaluating information which was used for the purpose of classification

Classification of the mixture was based on its physicochemical properties and on hazardous substances' concentration using calculation method, according to Regulation 1272/2008/EC (CLP) as amended.

Other data

Version:	3.0/EN
Date of update:	02.03.2026
Changes:	section: 2,3,11,16
Safety Data Sheet made by:	THETA Consulting Sp. z o.o. (based on manufacturer's data)

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.